
T1/E1/CEPT/ISDN-PRI Magnetic Module, Multi Port, 40 pin SOIC

- Complies with UL60950
- Surface Mount Device withstands IR reflow profile process
- Extended operating temperature: -40°C to +85°C



MODEL NUMBER

◎ -40°C	Electrical Specification @ 25°C					
OCL	OCL	LL	Cww	Hipot	Crosstalk	
(mH Min) Primary	(mH Min) Primary	(μΗ Max)	(pF Max)	(Vrms)	(dB Min)	(dB Typ)
10KHz 0.1Vrms	10KHz 0.1Vrms	10KHz 0.1Vrms	10KHz 0.1Vrms	1 minute	0.3-3 MHz	
0.6	1.0	0.5	35	1500	-40	-60
TX	1 ()	Primary	1:2.4	Secondar	-y)


			Primary	1:2.4	Secondary		
TX	1	0—				<u></u>	40
	2	0—				<u> </u>	39
RX	3	0—		1:1 }		—	38
	4	0—				— O	37
RX	6	0—		1:1 3 E		-0	35
	7	0—				— O	34
TX	8	0—		1:2.4 3 £		—	33
	9	0—				<u> </u>	32
TX	11	0—		1:2.4 3 E		—	30
	12	0—				—	29
RX	13	0—		1:1 3 £		<u> </u>	28
	14	0—				<u> </u>	27
RX	16	0—		1:1 3 E		<u> </u>	25
	17	0—				<u> </u>	24
TX	18	0—		1:2.4 3 £		<u> </u>	23
	19	0—				<u> </u>	22


PREPARED BY:


D. Rund						
ENGINEER:	DWG CONTROL NO. REV T1/E1/CEPT/ISDN-PRI Magnetic	TTC COOO				
L. Le	ACAD\TTC\A1128821.DWG — Module, Multi Port, 40 pin SOIC	TTC-6022				
QUALITY CONTROL:	ICONTENTS OF THIS DRAWING AREITATIVILINA CONFORMITON OF ATTIERNALI	MODEL SPECIFICATION				
	SUBJECT TO CHANGE WITHOUT 43352 BUSINESS PARK DRIVE, TEMECULA, CA. 92590-6624 PRIOR NOTICE (909) 699-1270 FAX 9096769482	DIM: mm(In) SCL: none SH: 1 0F 2				
APPROVED:	PROPRIETARY NOTICE: THIS DRAWING PRINT OR DOCUMENT AND SUBJECT MATTER DISCLOSED HEREIN ARE PROPRIETARY ITEMS TO WHICH TAMURA					
J. Coleman	RETAINS THE EXCLUSIVE RIGHT OF DISSEMINATION, REPRODUCTION, MANUFACTURE AND SALE. THIS CONFIDENCE FOR CONSIDERATION BY THE RECIPIENT ALONE UNLESS PERMISSION FOR FURTHER					


T1/E1/CEPT/ISDN-PRI Magnetic Module, Multi Port, 40 pin SOIC












REV



PREPARED BY:

D. Rund ENGINEER:

NOTE: Unless otherwise specified, all dimensions are mm[in] with tolerance of $\pm 0.25[0.010]$

L. Le	
QUALITY CONTRO	L: cc
T. Clem	PF

CONTENTS	OF	THIS	DRA	WING	ARE
SUBJECT	TO	CHAN	NGE	WITH	OUT
PRIOR NO	TICE	Ε			

DWG CONTROL NO.

P-A1-12882

ACAD\TTC\A1128822.DWG

T1/E1/CEPT/ISDN-PRI Magnetic Module, Multi Port, 40 pin SOIC

TAMURA CORPORATION OF AMERICA
43352 BUSINESS PARK DRIVE, TEMECULA, CA. 92590-6624

TTC-6022

MODEL SPECIFICATION

DIM: mm(In) SCL: none SH: 2 0F 2

APPROVED:

PROPRIETARY NOTICE: THIS DRAWING PRINT OR DOCUMENT AND SUBJECT MATTER DISCLOSED HEREIN ARE PROPRIETARY ITEMS TO WHICH TAMURA RETAINS THE EXCLUSIVE RIGHT OF DISSEMINATION, REPRODUCTION, MANUFACTURE AND SALE. THIS DRAWING, PRINT OR DOCUMENT IS SUBMITTED IN CONFIDENCE FOR CONSIDERATION BY THE RECIPIENT ALONE UNLESS PERMISSION FOR FURTHER DISCLOSURE IS EXPRESSLY GRANTED IN WRITING.